

Identity: (As used on label and list)

**RUSTECO NO BLAST**

---

---

**SECTION I: Material & Manufacturer Identification**

---

---

<b>Product Name</b>	<b>RUSTECO NO BLAST</b>
<b>Material Type</b>	<b>GEL</b>
<b>Product Use</b>	<b>PAINT &amp; RUST REMOVER</b>
<b>Manufacturer Address</b>	<b>TMT Services Corp P.O. Box 11398 Torrance, CA 90510-1398I</b>
<b>Emergency Phone</b>	<b>562-432-4868</b>
<b>Fax</b>	<b>310-782-8939</b>
<b>E-mail</b>	<b><a href="mailto:rusteco@aol.com">rusteco@aol.com</a></b>

---

---

**SECTION II: Hazardous Ingredients & Identity Information**

---

---

**Proprietary Formula**

**CONTAINS NO COMPONENTS THAT ARE REPORTED TO BE CARCINOGENIC TO HUMANS BY ANY REFERENCE SOURCE INCLUDING, IARC, OSHA, NTP AND EPA. NONE OF THE COMPONENTS OF THE RUSTECO NO BLAST PAINT REMOVER APPEAR ON ANY OF THE EPA'S LISTS OF TOXIC OR HAZARDOUS SUBSTANCES.**

---

---

### SECTION III: Physical/Chemical Characteristics

---

<b>Physical State:</b>	<b>Gel</b>
<b>Chemical Family:</b>	<b>N/A</b>
<b>Odor:</b>	<b>Aromatic Odor</b>
<b>Appearance:</b>	<b>Viscous Milky Blue Solution</b>
<b>Vapor Pressure (MMHG):</b>	<b>N/A</b>
<b>Vapor Density (air=1):</b>	<b>Not Applicable</b>
<b>% Volatile by volume:</b>	<b>0.96</b>
<b>% Volatile by weight:</b>	<b>0.96</b>
<b>Evaporation Rate:</b>	<b>Slower than Ether</b>
<b>Boiling Point:</b>	<b>140°C</b>
<b>Freezing Point:</b>	<b>Not Available</b>
<b>pH:</b>	<b>Mildly Acidic</b>
<b>Specific Gravity (water=1):</b>	<b>N/A</b>
<b>Solubility in Water (% W/W):</b>	<b>Insoluble</b>
<b>Coefficient of Water/Oil Distribution:</b>	<b>Not Available</b>
<b>Molecular Formula:</b>	<b>Not Applicable</b>
<b>Molecular Weight:</b>	<b>Not Applicable</b>

---

### SECTION IV: Fire and Explosion Data

---

<b>Flammability:</b>	<b>Non-Combustible</b>
<b>Flash Point:</b>	<b>93°C</b>
<b>Fire Extinguishing Media:</b>	<b>Use water only.</b>
<b>Special Fire Fighting Procedures:</b>	<b>Wear self contained breathing apparatus. Do not breathe fumes. Use water spray to Keep containers cool.</b>
<b>Auto Ignition Temperature:</b>	<b>N/A</b>
<b>TDG Flammability Class:</b>	<b>III B</b>
<b>Upper Explosion Limit:</b>	<b>None</b>
<b>Lower Explosion Limit:</b>	<b>None</b>
<b>Hazardous Combustion Products:</b>	<b>N/A</b>
<b>Explosion Data:</b>	<b>N/A</b>
<b>Sensitivity to Static:</b>	<b>N/A</b>
<b>Discharge:</b>	<b>N/A</b>
<b>Sensitivity to Impact:</b>	<b>None</b>
<b>Rate of Burning:</b>	<b>Not Applicable</b>
<b>Explosive Power:</b>	<b>Not Available</b>

---

## SECTION V: Reactivity Data

---

---

<b>Chemical Stability:</b>	<b>Stable: YES</b> <b>Conditions to avoid: Excessive Heat</b>
<b>Incompatible Materials:</b>	<b>Caustics, Acids, Alkali, Cyanide, Hexavalent chromium Compounds Nitric Acid, Potassium Permanganate Metal Catalysts, Oxidizing Agents</b>

---

---

## SECTION VI: TOXICOLOGICAL INFORMATION

---

---

<b>Route of Entry:</b>	<b>Skin Contact: This product may cause skin irritation and/or Sensitization after repeated contact</b> <b>Skin Absorption: LD50&gt;200mg/kg Rabbit</b> <b>Eye Contact: Irritating, Corrosive</b> <b>Inhalation, acute: LC50&gt;0.17mg/l (Rat)</b> <b>Inhalation, chronic: Refer to inhalation, Acute</b> <b>Ingestion: LD50=1193mg/kg (Rat)</b>
<b>Effects of Acute Exposure:</b>	<b>Causes irritation, refer to route of entry</b>
<b>Effect of Chronic Exposure:</b>	<b>Refer to route of entry</b>
<b>LD50 of material, species &amp; route:</b>	<b>Refer to Hazardous Ingredients Section</b>
<b>LC50 of material, species &amp; route:</b>	<b>Refer to Hazardous Ingredients Section</b>
<b>Irritation caused by Material:</b>	<b>May aggravate existing skin or eye disorders</b>
<b>Sensitizing Capability:</b>	<b>Skin Sensitizer</b>
<b>Carcinogenicity of Material:</b>	<b>Contains no components that are reported to be Carcinogenic to humans by any reference Source incl. IARC, OSHA, NTP and EPA</b>
<b>Reproductive Effects:</b>	<b>This substance is toxic to kidneys, lungs, the Nervous system, liver, cardiovascular systems</b>
<b>Synergistic Materials:</b>	<b>N/A</b>

---

---

## SECTION VII: PREVENTIVE MEASURES

---

---

<b>Engineering Controls:</b>	<b>General ventilation: local exhaust as necessary to Control any air contaminants. Within their TLV's</b> <b>In the use of this product</b>
<b>Handling Procedures:</b>	<b>Avoid all skin contact. Avoid breathing vapors of Heated materials. Keep away from heat, sparks, and Open flame. Wash thoroughly after handling</b>

**Storage Needs:** Store away from heat and ignition sources. Store  
Away from incompatible materials. Store in cool area  
Store in dry, well ventilated area. Do not smoke in use  
Or handling area

**Clean Up Procedures:** Leak/Spill: Absorb with inert material. Flush area with  
Water. Equip employees with protective equipment

**Waste Disposal Method:** In accordance with Local, State, Federal regulations

**UN Number:** Not regulated

**Special Shipping Info:** Shipments must be made in compliance with all Local,  
State, Federal & International regulations.

**Compliance:** The MSDS contains all the information required.

---

---

## **SECTION VIII: FIRST AID MEASURES**

---

---

**Eye Contact:** Flush eyes with a directed stream of lukewarm  
Water for at least 15 minutes while forcibly holding  
Eyelids apart to insure complete irrigation of all eyes  
And lid tissue. Consult a physician.

**Skin Contact:** Wash affected area with soap and water and rinse  
Thoroughly. If irritation develops consult physician.

**Ingestion:** Remove dentures, if any, watch for obstruction in  
Victim's mouth. Drink copious amounts of water or  
Milk. Seek immediate medical attention. Do not induce  
Vomiting.

**Inhalation:** Remove to fresh air. Consult a physician.

**Effects of Acute Exposure:** See above

**Effects of Chronic Exposure:** Human industrial experience has shown no significant  
Inhalation hazard or skin irritation when good  
Personal hygiene practices are followed.

**Inhalation Chronic:** Allow the victim to rest in a well ventilated area. Seek  
Immediate medical attention.

**Protective Equipment:**

**Gloves:** Impervious gloves

**Respiratory/Type:** A NIOSH/MSHA approved respirator as necessary.  
Organic vapor type.

**Eye/Type:** Splash proof goggles

**Footwear/Type:** Rubber boots

**Clothing/Type:** Adequate protective clothing

**Other/Type:** Eye wash facility and Emergency shower in proximity

---

---

## **IMPORTANT NOTICE**

**Please read carefully prior to use**

---

---

**The information and data herein are believed to be accurate and have been compiled from sources to be believed to be reliable. It is offered for your consideration, investigation and verification. Buyer assumes all risk of usage, storage and handling of the product in compliance with Federal, State and Local laws and regulations. TMT SERVICES CORP MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, CONCERNING THE ACCURACY OR COMPLETENESS OF THE INFORMATION AND DATA HEREIN. THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE SPECIFICALLY EXCLUDED. TMT Services will not be liable for claims relating to any party's use of or reliance on information and data contained herein, regardless of whether it is claimed that the information and data are inaccurate, incomplete or otherwise misleading.**

---

---

**TMT Services Corp, P.O. Box 11398, Torrance, CA 90510-1398**

**Effective Date: 09-01-03 Issue two**

**RUSTECO NO BLAST**

---

---